

# Fichier:Guide to Fitting Eject Push Sensors on ZX Machines IMG 8354.JPEG




Size of this preview:450 × 600 pixels.

Original file (1,536 × 2,048 pixels, file size: 555 KB, MIME type: image/jpeg)

Guide\_to\_Fitting\_Eject\_Push\_Sensors\_on\_ZX\_Machines\_IMG\_8354

## File history

Click on a date/time to view the file as it appeared at that time.

|         | Date/Time                | Thumbnail   | Dimensions             | User                             | Comment   |
|---------|--------------------------|---|------------------------|----------------------------------|---|
| current | 11:06, 25 September 2023 |  | 1,536 × 2,048 (555 KB) | Stuga Engineer (talk   contribs) | Guide_to_Fitting_Eject_Push_Sensors_on_ZX_Machines_IMG_8354 |

You cannot overwrite this file.

## File usage

The following file is a duplicate of this file (more details):

Fichier:Fitting M8 Plug for EtherCAT Boxes IMG 8354.JPEG

There are no pages that link to this file.

## Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

|                                  |                            |
|----------------------------------|----------------------------|
| Camera manufacturer              | Apple                      |
| Camera model                     | iPhone SE (2nd generation) |
| Exposure time                    | 1/50 sec (0.02)            |
| F Number                         | f/1.8                      |
| ISO speed rating                 | 80                         |
| Date and time of data generation | 12:44, 22 September 2023   |
| Lens focal length                | 3.99 mm                    |
| Latitude                         | 52° 35′ 24.78″ N           |

|                                      |   |
|--------------------------------------|---|
| Longitude                            | 1° 42' 34.51" E   |
| Altitude                             | 8.4 meters above sea level  |
| Horizontal resolution                | 72 dpi  |
| Vertical resolution                  | 72 dpi  |
| Software used                        | 16.6.1  |
| File change date and time            | 12:44, 22 September 2023  |
| Y and C positioning                  | Centered  |
| Exposure Program                     | Normal program  |
| Exif version                         | 2.32  |
| Date and time of digitizing          | 12:44, 22 September 2023  |
| Meaning of each component            | <ol style="list-style-type: none"> <li>1. Y</li> <li>2. Cb</li> <li>3. Cr</li> <li>4. does not exist</li> </ol> |
| APEX shutter speed                   | 5.6443612210288   |
| APEX aperture                        | 1.6959938128384   |
| APEX brightness                      | 3.2740103321473   |
| APEX exposure bias                   | 0   |
| Metering mode                        | Spot  |
| Flash                                | Flash did not fire, compulsory flash suppression  |
| DateTimeOriginal subseconds          | 891   |
| DateTimeDigitized subseconds         | 891   |
| Supported Flashpix version           | 0,100   |
| Color space                          | Uncalibrated  |
| Sensing method                       | One-chip color area sensor  |
| Scene type                           | A directly photographed image   |
| Exposure mode                        | Auto exposure   |
| White balance                        | Auto white balance  |
| Focal length in 35 mm film           | 28 mm   |
| Scene capture type                   | Standard  |
| Speed unit                           | Kilometers per hour   |
| Speed of GPS receiver                | 0   |
| Reference for direction of image     | True direction  |
| Direction of image                   | 171.6166839021  |
| Reference for bearing of destination | True direction  |
| Bearing of destination               | 171.6166839021  |