Fichier:R0015350 Fit Rigid Ducting IMG 5493.JPG

Size of this preview:450 × 600 pixels.

Original file (3,024 × 4,032 pixels, file size: 5.07 MB, MIME type: image/jpeg)
R0015350_Fit_Rigid_Ducting_IMG_5493

File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	**11:32, 17 July 2023**		3,024 × 4,032 (5.07 MB)	Gareth Green (talk | contribs)	R0015350_Fit_Rigid_Ducting_IMG_5493

You cannot overwrite this file.

File usage

The following page links to this file:

R0015350 Fit Rigid Ducting

Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

Camera manufacturer	Apple
Camera model	iPhone 13

Exposure time	1/100 sec (0.01)
F Number	f/1.6
ISO speed rating	80
Date and time of data generation	10:19, 17 July 2023
Lens focal length	5.1 mm
Latitude	52° 35′ 24.4″ N
Longitude	1° 42′ 35.36″ E
Altitude	10.326 meters above sea level
Orientation	Rotated 90° CCW
Horizontal resolution	72 dpi
Vertical resolution	72 dpi
Software used	16.3.1
File change date and time	10:19, 17 July 2023
Y and C positioning	Centered
Exposure Program	Normal program
Exif version	2.32
Date and time of digitizing	10:19, 17 July 2023
Meaning of each component	1. Y 2. Cb 3. Cr 4. does not exist
APEX shutter speed	6.6438561907444
APEX aperture	1.3561438092556
APEX brightness	4.004157716028
APEX exposure bias	0
Metering mode	Spot
Flash	Flash did not fire, compulsory flash suppression
DateTimeOriginal subseconds	337
DateTimeDigitized subseconds	337
Supported Flashpix version	0,100
Color space	Uncalibrated
Sensing method	One-chip color area sensor
Scene type	A directly photographed image
Exposure mode	Auto exposure
White balance	Auto white balance
Focal length in 35 mm film	26 mm
Scene capture type	Standard
Speed unit	Kilometers per hour
Speed of GPS receiver	0
Reference for direction of image	True direction
Direction of image	43.239135772158
Reference for bearing of destination	True direction
Bearing of destination	43.239135772158