Fichier:R0015350 Fit Rigid Ducting IMG 5496.JPG



Size of this preview:450 × 600 pixels.

Original file (3,024 \times 4,032 pixels, file size: 4.34 MB, MIME type: image/jpeg) R0015350_Fit_Rigid_Ducting_IMG_5496

File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	11:36, 17 July 2023		3,024 × 4,032 (4.34 MB)	Gareth Green (talk contribs)	R0015350_Fit_Rigid_Ducting_IMG_5496

You cannot overwrite this file.

File usage

The following page links to this file:

R0015350 Fit Rigid Ducting

Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

Camera manufacturer	Apple
Camera model	iPhone 13

Lens focal length Latitude Latitude Latitude Longitude Altitude Altitu	1	
Date and time of data generation Lens focal length Latitude Latitude Latitude Latitude Jorentation Altitude Altitude Jorentation File change date and time Exposure Program Apex shutter speed APEX shutter speed APEX aperture APEX brightness APEX exposure bias APEX exposure bias Date Time Original subseconds Date Time Digitized subseconds Sensing method Scene capture type White balance Focal length in 35 mm film Scene capture type Seference for bearing of Reference for bearing of		
Date and time of data generation Lens focal length Latitude 52° 35′ 24.12″ Longitude 1° 42′ 35.16″ E Altitude 10.153 meters Orientation Rotated 90° Co Horizontal resolution 72 dpi Vertical resolution 72 dpi Vertical resolution 72 dpi Software used 16.3.1 File change date and time 10:20, 17 July Y and C positioning Exposure Program Exif version Date and time of digitizing 10:20, 17 July 1. Y 2. Cb 3. Cr 4. does not est APEX shutter speed APEX aperture 1.3561438092 APEX exposure bias APEX exposure bias APEX exposure bias APEX exposure bias APEX metring mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds Supported Flashpix version Q.100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Focal length in 35 mm film Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver Reference for direction of image Direction of image Direction of image True direction True direction True direction True direction True direction True direction	• • •	
generation Lens focal length Latitude Longitude Altitude Alto white bal Alto white bal	125	
Latitude 1° 42′ 35.16″ E Altitude 1° 42′ 35.16″ E Altitude 10.153 meters Orientation Rotated 90° Co Horizontal resolution 72 dpi Vertical resolution 72 dpi Software used 16.3.1 File change date and time 10:20, 17 July Y and C positioning Centered Exposure Program Normal progra Exif version 2.32 Date and time of digitizing 10:20, 17 July Meaning of each component 1.3561438092 APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for hearing of Reference for hearing of Reference for hearing of	10:20, 17 July 2023	
Longitude 1° 42′ 35.16″ E Altitude 10.153 meters Orientation Rotated 90° Co Horizontal resolution 72 dpi Vertical resolution 72 dpi Software used 16.3.1 File change date and time 10:20, 17 July. Y and C positioning Centered Exposure Program Normal progra Exif version 2.32 Date and time of digitizing 10:20, 17 July. Meaning of each component 1.3 Cr 4. does not extended the suppression 4.2 Ch APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	5.1 mm	
Altitude 10.153 meters Orientation Rotated 90° Co Horizontal resolution 72 dpi Vertical resolution 72 dpi Software used 16.3.1 File change date and time 10:20, 17 July. Y and C positioning Centered Exposure Program Normal prograt Exif version 2.32 Date and time of digitizing 10:20, 17 July. Meaning of each component 1. Y 2. Cb 3. Cr 4. does not exposure Program 1. Sof 1438092 APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776 Reference for bearing of	52° 35′ 24.12″ N	
Orientation Rotated 90° Co Horizontal resolution 72 dpi Vertical resolution 72 dpi Software used 16.3.1 File change date and time 10:20, 17 July Y and C positioning Centered Exposure Program Normal prograt Exif version 2.32 Date and time of digitizing 10:20, 17 July Meaning of each component 1. Y 2. Cb 3. Cr 4. does not ext APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776 Reference for bearing of	1° 42′ 35.16″ E	
Horizontal resolution Vertical resolution Vertical resolution 72 dpi Software used 16.3.1 File change date and time Y and C positioning Exposure Program Normal prograt Exif version 2.32 Date and time of digitizing 10:20, 17 July 1. Y 2. Cb 3. Cr 4. does not ext APEX shutter speed APEX aperture APEX brightness APEX exposure bias Metering mode Flash Flash DateTimeOriginal subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode White balance Focal length in 35 mm film Scene capture type Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	10.153 meters above sea level	
Vertical resolution Software used 16.3.1 File change date and time Y and C positioning Exposure Program Normal prograt Exif version 2.32 Date and time of digitizing Meaning of each component APEX shutter speed APEX aperture APEX brightness APEX exposure bias APEX exposure bias APEX metering mode Flash Flash DateTimeOriginal subseconds Supported Flashpix version Color space Sensing method Sensing method Sensing method Focal length in 35 mm film Scene capture type Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	Rotated 90° CCW	
Software used 16.3.1 File change date and time 10:20, 17 July 19:20, 17 July 19:	72 dpi	
File change date and time Y and C positioning Centered Exposure Program Normal prograt Exif version Date and time of digitizing 10:20, 17 July 10:20, 17 July 10:20, 17 July 11. Y 12. Cb 13. Cr 14. does not ext 13:561438092 APEX shutter speed APEX aperture 13:561438092 APEX brightness APEX exposure bias APEX exposure bias APEX exposure bias APEX metring mode Flash Flash Flash did not fi suppression DateTimeOriginal subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Focal length in 35 mm film Scene capture type Standard Speed unit Speed unit Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	72 dpi	
Y and C positioning Exposure Program Exif version Date and time of digitizing 10:20, 17 July 1. Y 2. Cb 3. Cr 4. does not est APEX shutter speed APEX aperture APEX brightness APEX exposure bias Metering mode Flash Flash Flash did not fi suppression DateTimeOriginal subseconds Supported Flashpix version Color space Uncalibrated Sensing method Scene type A directly phote Exposure mode White balance White balance Focal length in 35 mm film Scene capture type Speed of GPS receiver Reference for direction of image Direction of image Direction of image Reference for bearing of	16.3.1	
Exposure Program Exif version 2.32 Date and time of digitizing 10:20, 17 July: 1. Y 2. Cb 3. Cr 4. does not existed as a second as	10:20, 17 July 2023	
Exif version 2.32 Date and time of digitizing 10:20, 17 July 1. Y Meaning of each component 2. Cb 3. Cr 4. does not exist do	Centered	
Date and time of digitizing 10:20, 17 July 1. Y 2. Cb 3. Cr 4. does not ex 4. does not ex 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film Scene capture type Speed of GPS receiver Reference for direction of image Direction of image 18.631015776	Normal program	
Meaning of each component 1. Y 2. Cb 3. Cr 4. does not ex 4. does not ex 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver Reference for direction of image Direction of image 18.631015776		
Meaning of each component 2. Cb 3. Cr 4. does not ex APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver Reference for direction of image Direction of image 18.631015776):20, 17 July 2023	
Meaning of each component 3. Cr 4. does not ex APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver Reference for direction of image Direction of image 18.631015776	. Y	
3. Cr 4. does not ex APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	. Cb	
APEX shutter speed 5.6435676763 APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	. Cr	
APEX aperture 1.3561438092 APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	. does not exist	
APEX brightness 2.1330365886 APEX exposure bias 0 Metering mode Pattern Flash Flash is suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	6435676763161	
APEX exposure bias Metering mode Flash Flash did not fi suppression DateTimeOriginal subseconds DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method Scene type A directly phot Exposure mode White balance White balance Focal length in 35 mm film Scene capture type Standard Speed unit Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	3561438092556	
Metering mode Flash Flash Flash did not fi suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Focal length in 35 mm film Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver Reference for direction of image Direction of image 18.631015776	1330365886228	
Flash Flash big suppression DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	0	
DateTimeOriginal subseconds 795 DateTimeDigitized subseconds 795 Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	Pattern	
DateTimeDigitized subseconds Supported Flashpix version Color space Uncalibrated Sensing method Sensing method Scene type A directly phot Exposure mode White balance Focal length in 35 mm film Scene capture type Standard Speed unit Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	ash did not fire, compulsory flash ppression	
Supported Flashpix version 0,100 Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	25	
Color space Uncalibrated Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	25	
Sensing method One-chip color Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	0,100	
Scene type A directly phot Exposure mode Auto exposure White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image True direction Direction of image 18.631015776	Uncalibrated	
Exposure mode White balance Focal length in 35 mm film Scene capture type Standard Speed unit Speed of GPS receiver Reference for direction of image Direction of image Reference for bearing of	One-chip color area sensor	
White balance Auto white bal Focal length in 35 mm film 26 mm Scene capture type Standard Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image 18.631015776	A directly photographed image	
Focal length in 35 mm film Scene capture type Standard Speed unit Speed of GPS receiver Reference for direction of image Direction of image Seference for bearing of	Auto exposure	
Scene capture type Standard Speed unit Speed of GPS receiver Reference for direction of image Direction of image 18.631015776	ıto white balance	
Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image True direction Direction of image 18.631015776	26 mm	
Speed unit Kilometers per Speed of GPS receiver 0 Reference for direction of image True direction Direction of image 18.631015776	Standard	
Reference for direction of image Direction of image Reference for bearing of	Kilometers per hour	
Reference for direction of image Direction of image Reference for bearing of	-	
Direction of image 18.631015776	True direction	
Reference for hearing of	3.631015776639	
destination	True direction	
Bearing of destination 18.631015776	3.631015776639	
destination	ue direction	