



# Fichier:Upgrade Flowline Opto Sensors to Ultrasonic IMG 4473.JPG



No higher resolution available.  
Upgrade\_Flowline\_Opto\_Sensors\_to\_Ultrasonic\_IMG\_4473.JPG (640 × 480 pixels, file size: 79 KB, MIME type: image/jpeg)  
Upgrade\_Flowline\_Opto\_Sensors\_to\_Ultrasonic\_IMG\_4473

## File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	14:25, 9 September 2019		640 × 480 (79 KB)	Gareth Green (talk   contribs)	Upgrade_Flowline_Opto_Sensors_to_Ultrasonic_IMG_4473

You cannot overwrite this file.

## File usage

The following page links to this file:

Upgrade Flowline Opto Sensors to Ultrasonic

## Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

Camera manufacturer	Apple
Camera model	iPhone SE
Exposure time	1/17 sec (0.058823529411765)
F Number	f/2.2
ISO speed rating	250
Date and time of data generation	11:51, 9 September 2019
Lens focal length	4.15 mm
Orientation	Rotated 180°
Horizontal resolution	72 dpi
Vertical resolution	72 dpi
Software used	12.4.1
File change date and time	11:51, 9 September 2019

Y and C positioning	Centered
Exposure Program	Normal program
Exif version	2.21
Date and time of digitizing	11:51, 9 September 2019
Meaning of each component	1. Y 2. Cb 3. Cr 4. does not exist
APEX shutter speed	4.0591582077972
APEX aperture	2.2750070476914
APEX brightness	-0.29790152293749
APEX exposure bias	0
Metering mode	Spot
Flash	Flash did not fire, auto mode
DateTimeOriginal subseconds	255
DateTimeDigitized subseconds	255
Supported Flashpix version	0,100
Color space	sRGB
Sensing method	One-chip color area sensor
Scene type	A directly photographed image
Exposure mode	Auto exposure
White balance	Auto white balance
Focal length in 35 mm film	29 mm
Scene capture type	Standard