

R0015350 Fit Rigid Ducting

Details for hard piping of extraction system

 **Difficulty** Medium

 **Duration** 2 hour(s)

Contents

- Introduction
- Step 1 - Extractor pipe connections
- Step 2 - 200mm main run
- Step 3 - 3 way branch
- Step 4 - Conveyor hard pipe
- Comments

Introduction

Tools Required

Duct tape

Parts Required

- M0000116 Ø200mm to 3 way (Ø125mm) extractor pipe connector x 1
- M0000118 Ø200mm - 90 deg Bend Ducting x 1
- M0000185 Ø125 mm ID 45 degree bend x 1
- M0001045 Rigid Ducting Ø125 x 1000mm x 2
- M0001213 Rigid Ducting Ø200mm x 500mm x 2
- M0001214 Rigid Ducting Ø200 x 2000mm long x 3
- M0001228 Extraction Unit inlet taper x 3


Step 1 - Extractor pipe connections

Fit ducting as shown

2 off M0001228

1 off M0001213

1 off M0000118




Step 2 - 200mm main run

Fit ducting as shown using

3 off M0001214

1 off M0001213




Step 3 - 3 way branch

Fit ducting as shown

1 off M0000116

Use 1 off M0001228 tapered inlet to join

M0001228



Step 4 - Conveyor hard pipe

Fit ducting as shown

1 off M0000185

2 off M0000118

